

# Safety Data Sheet

acc. to HCS and GHS

## 1 Identification

- **Product identifier**
- **Trade name:** Protect All Fiberglass Oxidation Remover & Color Restorer
- **Application of the substance / the mixture** Reducing agent/ Deoxidizer
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Protect All, Inc.  
7101 Jackson Road Ann  
Arbor, MI 48103 USA  
Phone: (734) 769-6000
- **Emergency telephone number:**  
(800) 424-9300 (CHEMTREC-24 hrs)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- **Label elements**

- **GHS label elements** Not Regulated
- **Hazard pictograms** Not Regulated
- **Signal word** Not Regulated

- **Hazard-determining components of labeling:** None.

- **Hazard statements** Not Regulated

- **Hazard description:**

- **WHMIS-symbols:** Not hazardous under WHMIS.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 2)

# Safety Data Sheet

## acc. to HCS and GHS

**Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer**

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

1317-95-9	Silica-Crystalline Tripoli ◆ Carc. 1A, H350; STOT RE 1, H372	2.5-10%
64742-47-8	Distillates (petroleum), hydrotreated light ◆ Asp. Tox. 1, H304	2.5-10%
64742-96-7	Solvent naphta (petroleum) heavy aliph. ◆ Asp. Tox. 1, H304	2.5-10%
112-80-1	oleic acid, pure ◆ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%

- **Additional information:**

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for silica-crystalline tripoli note that substance must be respirable.

### 4 First-aid measures

- **Description of first aid measures**

- **General information:** No special measures required.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:**

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

- **After eye contact:**

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

- **After swallowing:** Do not induce vomiting; immediately call for medical help.

- **Most important symptoms and effects, both acute and delayed**

Gastric or intestinal disorders when ingested.

- **Danger** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents:** None.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)

# Safety Data Sheet

## acc. to HCS and GHS

**Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer**

- **Additional information** No further relevant information available.

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling** No special measures required.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from reducing agents.

- **Further information about storage conditions:** Keep receptacle tightly sealed.

- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**1317-95-9 Silica-Crystalline Tripoli**

PEL (USA)	see Quartz listing
-----------	--------------------

REL (USA)	Long-term value: 0.05* mg/m <sup>3</sup>
-----------	--

\*respirable dust; See Pocket Guide App. A

TLV (USA)	TLV withdrawn
-----------	---------------

(Contd. on page 4)

# Safety Data Sheet

## acc. to HCS and GHS

**Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer**

(Contd. of page 3)

EL (Canada)	Long-term value: 0.025 mg/m <sup>3</sup> ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m <sup>3</sup> *respirable fraction
LMPE (Mexico)	Long-term value: 0.025* mg/m <sup>3</sup> A2, *fracción respirable
<b>64742-47-8 Distillates (petroleum), hydrotreated light</b>	
EL (Canada)	Long-term value: 200 mg/m <sup>3</sup> Skin

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

· **Breathing equipment:**

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

Wear gloves for the protection against mechanical hazards according to EN 388.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

· **Body protection:**

Not required under normal conditions of use.

Protection may be required for spills.

· **Limitation and supervision of exposure into the environment** No special requirements.

(Contd. on page 5)

# Safety Data Sheet

## acc. to HCS and GHS

Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer

(Contd. of page 4)

### 9 Physical and chemical properties

· <b>Information on basic physical and chemical properties</b>	
· <b>General Information</b>	
· <b>Appearance:</b>	
<b>Form:</b>	Viscous
<b>Color:</b>	Light beige
· <b>Odor:</b>	Petroleum-like
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not self-igniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

· <b>Reactivity</b>	
· <b>Chemical stability</b>	
· <b>Thermal decomposition / conditions to be avoided:</b>	To avoid thermal decomposition do not overheat.

(Contd. on page 6)

# Safety Data Sheet

## acc. to HCS and GHS

**Trade name:** Protect All Fiberglass Oxidation Remover & Color Restorer

- **Possibility of hazardous reactions**  
Reacts with strong alkali.  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong oxidizing agents.
- **Conditions to avoid** Prevent from drying out.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

(Contd. of page 5)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Slight irritant effect on skin and mucous membranes.
- **on the eye:** Slight irritant effect on eyes.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**
- **NTP (National Toxicology Program)**

1317-95-9	Silica-Crystalline Tripoli	K
-----------	----------------------------	---
- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.
------------------------------------

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet

## acc. to HCS and GHS

**Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer**

(Contd. of page 6)

### **13 Disposal considerations**

- **Waste treatment methods**

- **Recommendation:**

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

### **14 Transport information**

· <b>UN-Number</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Not Regulated
· <b>UN proper shipping name</b>	Not Regulated
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Not Regulated
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Not Regulated
· <b>Class</b>	Not Regulated
· <b>Packing group</b>	Not Regulated
· <b>DOT, ADR, IMDG, IATA</b>	Not Regulated
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	-

### **15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

(Contd. on page 8)

# Safety Data Sheet

## acc. to HCS and GHS

**Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer**

· **Proposition 65 (California)**

(Contd. of page 7)

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

1317-95-9	Silica-Crystalline Tripoli	1
-----------	----------------------------	---

7631-86-9	silicon dioxide	3
-----------	-----------------	---

· **TLV (Threshold Limit Value established by ACGIH)**

1317-95-9	Silica-Crystalline Tripoli	A2
-----------	----------------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

1317-95-9	Silica-Crystalline Tripoli
-----------	----------------------------

· **State Right to Know Listings**

None of the ingredients is listed.

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

112-80-1	oleic acid, pure
----------	------------------

· **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 05/26/2015      Rev. 3

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

## Safety Data Sheet acc. to HCS and GHS

**Trade name: Protect All Fiberglass Oxidation Remover & Color Restorer**

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
WHMIS: Workplace Hazardous Materials Information System (Canada)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
Carc. 1A: Carcinogenicity, Hazard Category 1A  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1  
Asp. Tox. 1: Aspiration hazard, Hazard Category 1

### Sources

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)