



<b>EAN:</b>	4013288233561	<b>Size:</b>	380x90x35 mm
<b>Part number:</b>	05005591001	<b>Weight:</b>	1130 g
<b>Article number:</b>	9661	<b>Country of origin:</b>	TW
		<b>Customs tariff number:</b>	82042000



- 9-piece socket set on socket rail, 3/8"
- Imperial sizes
- Magnetic rail with secure socket mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Robust Impaktor sockets for extremely high stress; for use with electric or pneumatic wrenches with 3/8" drive
- Long sockets for low lying couplings, also suitable for fitting, protruding thread rods in confined spaces
- Hexagon profile for precise and profile-friendly screwdriving at high power transmission
- With Take it easy tool finder: colour coding by size
- With cross hole and ring socket to attach the safety pin and safety ring of machine operated tools

Socket rail with 9 long Impaktor sockets, 3/8". The Impaktor technology ensures higher-than-average service life even at extreme requirements. Long design to work even on low-lying couplings and protruding thread rods. The hexagon profile offers the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile. With Take it easy tool finder with colour coding by size - for quick and easy identification of the required tool. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

**Web link**  
<https://www.wera.de/en/05005591001>

Wera - 9661  
 05005591001 - 4013288233561

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

**For electric or pneumatic wrenches**



The extremely robust forged design ensures higher-than-average service life of the Impaktor sockets even at extreme requirements.

**Long design**



Thanks to the long design of the sockets, even couplings in tight spaces can be reached. Screwdriving at protruding thread rods can also be possible.

**Cross hole and ring socket**




Thanks to the hole and the ring socket, the tools can be held securely on the power tool with a safety pin or an O-ring.

**Take it easy tool finder system**




Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

**Twist-to-unlock mechanism**



With its twist-to-unlock mechanism, the socket rail ensures easy access of the sockets. At the same time the sockets are held securely.

**Magnetic**



Thanks to the magnet, the rail is suitable for temporary attachment to the wall, shelf or workshop trolley.

Set contents:

8790 B Impaktor Deep Socket with 3/8" drive, 1/4" x 63 mm



05005564001	1x	1/4" x 63 mm
05005565001	1x	5/16" x 63 mm
05005566001	1x	3/8" x 63 mm
05005567001	1x	7/16" x 63 mm
05005568001	1x	1/2" x 63 mm
05005569001	1x	9/16" x 63 mm
05005570001	1x	5/8" x 63 mm
05005571001	1x	11/16" x 63 mm
05005572001	1x	3/4" x 63 mm

9601 Magnetic socket rail, 3/8", empty, 30 x 340 mm



05136421001	1x	30 x 340 mm
-------------	----	-------------

Web link

<https://www.wera.de/en/05005591001>

Wera - 9661

05005591001 - 4013288233561

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)